


Offset Football Goals

- Six-foot offset centerpost is fabricated of 5-1/2" diameter zinc-coated and primed steel
- Welded 3/4" thick steel plate for ground anchoring
- Exclusive "C-Channel" attaches to the 5-1/2" diameter heavy-wall aluminum crossbar
- 20' high uprights (30' for pro model) are made of 4" diameter structural aluminum tubing
- Specially engineered sub-surface plate allows easy installation and adjustments - no ground sleeves
- Uprights spaced 23' 4" apart for high school, while the college and pro models are 18' 6"
- All hardware is galvanized steel
- Entire goal features a white or yellow powder-coated finish for minimal maintenance
- Optional FBC Foundation Box & Cover provides easy access for goal removal

ASG-HS	\$7,245.00/pr.
ASG-NCAA	\$7,245.00/pr.
ASG-PRO	\$7,545.00/pr.

Custom upright heights available upon request. Call for details.



ASG-NCAA Model Shown



Want perfectly aligned uprights every time? No need for "gimmicky" adjustable upright features with your AAE goals.



Exclusive "C Channel" design increases strength and durability.



Specially engineered sub-surface plate eliminates ground sleeves.



ASG-HS/8 Model Shown

8 Ft. Offset Football Goals

- Greater offset accommodates other sports goals underneath the crossbar
- Eight-foot offset centerpost is fabricated of 5-1/2" diameter zinc-coated and primed steel
- Welded 3/4" thick steel plate at bottom of centerpost for ground anchoring
- Exclusive "C-Channel" attaches to the 5-1/2" diameter heavy-wall aluminum crossbar
- 20' high uprights (30' for pro model) are made of 4" diameter structural aluminum tubing
- Specially engineered sub-surface plate allows easy installation and adjustments - no ground sleeves
- Uprights spaced 23' 4" apart for high school, while the college and pro models are 18' 6"
- All hardware is galvanized steel
- Entire goal features a white or yellow powder-coated finish for minimal maintenance
- Optional FBC Foundation Box & Cover kits make accessing the goal foundation plates for removal a simple task

ASG-HS/8	\$7,745.00/pr.
ASG-NCAA/8	\$7,745.00/pr.
ASG-PRO/8	\$8,045.00/pr.

Custom upright heights available upon request. Call for details.



Goal Post Pads

- Designed to fit most any goal post
- Provide additional safety on the field
- Premium foam - 4" and 6" thick x 78" high - encased in double-knife coated vinyl
- Velcro flap allows for simple installation
- Available in blue, red, green, yellow, navy blue, orange, black and maroon (see below)

A velcro flap that runs the entire length of the pad guarantees a secure fit.

- Other colors are also available - call for details
- Silkscreen your school initials or nickname for an additional charge

GP4R (4" thick)	\$550.00/pr.
GP6R (6" thick)	\$695.00/pr.


COLOR CHART

	BLUE		GREEN		NAVY BLUE		BLACK
	RED		YELLOW		BRIGHT ORANGE		MAROON

Other colors also available - call for details.
Colors shown here are as accurate as printing allows.
Colors appear brighter on products when seen outdoors.

For questions and discount pricing, call 1-800-523-5471

Specialty Football Goals



U.S. Patent
Pending

HSG-PRO Model Shown
Historic Lambeau Field
Home of the Green Bay Packers

Hinged Offset Football Goals

- Ideal for stadiums used for multiple sports and/or events
- Allows maintenance crews to assemble and disassemble goals at ground level - easier and safer to install or remove than other offset goals
- Unique hinged base plate permits removal and reinstallation of the goals by following these easy steps:
 - 1) Simply remove anchoring bolts
 - 2) Pivot goal forward to lower to ground level
 - 3) Remove each upright and crossbar
 - 4) Disengage pin from 3/4" thick steel hinged base plate to detach centerpost
- Six-foot offset centerpost is fabricated of 5-1/2" diameter steel
- Exclusive "C-Channel" attaches to the 5-1/2" diameter heavy-wall aluminum crossbar
- Uprights are 20' high (30' for pro model), 4" diameter structural aluminum tubing
- Uprights spaced 23' 4" apart for high school, while the college and pro models are 18' 6"
- High school and college models feature a white or yellow powder-coated finish on the entire goal for minimal maintenance
- Pro models are finished with a three-step painting process with a baked enamel Day-Glo® yellow finish for even higher visibility
- All hardware is galvanized steel

HSG-HS	\$8,245.00/pr.
HSG-NCAA	\$8,245.00/pr.
HSG-PRO	\$10,245.00/pr.
HSG-HS/8 (8' offset)	\$8,745.00/pr.
HSG-NCAA/8 (8' offset)	\$8,745.00/pr.



Unique hinged base plate design makes erecting and dismantling the goal an easier job.



Welded bracket permits a winch and cable to mechanically raise and lower the entire goal.



Foundation Box & Cover

- Gives offset goals a "finished look" and creates an easy access point to remove goals when required
- Heavy-duty 12-gauge galvanized steel formed frame with offset angles for turf attachment
- Covers fabricated of 11-gauge aluminum with welded structural reinforcements

- Includes two box frames, two pairs of half covers and two full covers
- Box frame requires permanent installation, while the covers can be interchanged based on whether or not the goals are on the field

FBC-GA/ASG (ASG goals)	\$1,295.00/pr.
FBC-GA/HSG (HSG goals)	\$1,495.00/pr.

For even more products and info, visit myAAEworld.com


Expandable Offset Football Goals

- Perfect for facilities that hold both high school and college games
- Innovative crossbar design that, in a matter of minutes, adjusts the uprights to either the official high school or official NCAA® width
- By unbolting the crossbar, extending it, attaching the Expansion Covers and resecuring bolts, a college goal can be transformed into a high school goal
- Unique Safety Guide is a slot/groove design made of UHMW, preventing upright rotation while bolts are removed for adjustments
- Six-foot offset centerpost is fabricated of 5-1/2" diameter steel
- Exclusive "C-Channel" attaches to the 5-1/2" diameter heavy-wall aluminum crossbar
- All hardware is galvanized steel
- Entire goal features a white or yellow powder-coated finish for minimal maintenance
- Optional FBC Foundation Box & Cover provides easy access for goal removal

ESG	\$9,245.00/pr.
ESG/8 (8' offset)	\$9,745.00/pr.



AAE's Safety Guide prevents uprights from rotating during adjustment stages.



ESG/8 Model Shown



Shown at NCAA Width



Unbolt and Slide In/Out for Simple Adjustment



Add Expansion Covers for HS



Shown at HS Width

For questions and discount pricing, call 1-800-523-5471

Hinged 360° Rotational 8' Offset Football Goal Posts

- Hinged baseplate design allows for easy raising and lowering of assembled goal post
- Rotational centerpost (gooseneck) features lockable spring-loaded device for a smooth transition from football field to soccer field
- All rotational featured goal posts come standard 8' offset gooseneck to accommodate our soccer goal's groundbar
- Goal post rotates 180° in opposite direction to remove football crossbar from interfering with soccer game play - only used when football and soccer share the same endline
- Eight-foot offset centerpost (gooseneck) is fabricated of 5-1/2" diameter zinc-coated and primed steel
- Welded 3/4" thick steel plate with ribs for ground anchoring
- Exclusive "C-Channel" provides 4' additional welded support for attaching 5-1/2" diameter heavy-wall aluminum crossbar
- 20' high uprights (30' for PRO model) are made of 4" diameter structural aluminum tubing
- Specially engineered sub-surface plate allows easy installation and adjustments - no ground sleeves
- Uprights spaced 23' 4" apart for High School, while the NCAA and PRO models are 18' 6"
- All hardware is galvanized steel
- Entire goal features a white or yellow powder-coated finish for minimal maintenance
- 6' Offset/Custom Upright Heights available upon request

HSG-HS/8-360

\$9,445.00/pr.

HSG-NCAA/8-360


\$9,445.00/pr.



Spring-loaded pin makes for a quick and easy job to transition your field in a matter of seconds.




Hinged baseplate allows for easy raising and lowering of goal.



Accu-Kick Adjustable Practice Football Goal

- Designed to help kickers score better under pressure by narrowing target practice, honing visualization techniques and building confidence
- Uprights slide along the horizontal crossbar to adjust anywhere from 18' 6" to 6' - reduce or extend by pulling each upright to desired setting by using scale printed on underside of crossbar
- Uprights are painted white on one side and yellow on the opposite side to allow a 180° rotation for an instant on-field color change (important for college level kickers)
- Constructed of heavy-wall aluminum and stainless steel, making it durable under all weather conditions
- Two 24' high uprights are made of 4" diameter aluminum tubing
- Uprights attached at the base to a sliding stainless steel sleeve that independently runs along the 4" square aluminum crossbar
- Stainless steel handle provided to manually adjust uprights
- Four 12" pneumatic tires mounted on stainless steel axles, so it can be easily moved by two people



U.S. Patent No. 6,375,585

The choice of Philadelphia Eagles kicker David Akers.

AK-APFG

\$5,595.00

Rollaway "H" Goals

- AAE originated the "portable" football goal in 1968 to meet the needs of both NFL® teams and NCAA universities in providing the greatest flexibility for practice facilities
- Fabricated with 4" diameter heavy-wall aluminum tubing connected with structurally reinforced aluminum
- Uprights spaced 18' 6" apart at 30' height for NCAA and PRO models and 24' uprights spaced 23' 4" to meet high school specs
- Four 12" pneumatic tires with stainless steel axles are provided for ease in moving the goal
- Unpainted, mill finish is standard on entire goal for minimal maintenance
- Custom widths and finishes are available

RHG-HS	\$2,950.00/ea.
RHG-NCAA	\$2,950.00/ea.
RHG-PRO	\$2,950.00/ea.

White or yellow powder-coated uprights & crossbar upgrade available for \$400/ea.



Use the dual pneumatic wheels to move the goal anywhere.



Reinforced gussets provide added strength at high stress areas.




RHG-NCAA Model Shown w/ Custom Powder-coated Uprights (optional)

Rollaway "H" Goals (9' width)

- Tighter 9' portable practice target preferred by many NFL® teams including the San Diego Chargers and Miami Dolphins
- Fabricated with 4" diameter heavy-wall aluminum tubing connected with structurally reinforced aluminum
- Four 12" pneumatic tires with stainless steel axles are provided for ease in moving the goal
- Mill finish standard for minimal maintenance
- Custom powder-coated finishes available

RHG-PRO/9	\$2,950.00/ea.
------------------	-----------------------



AAE's RHG has been center stage at numerous College Bowl Pre-Game festivities.



"H" Football Goals

- Used for both football and rugby
- Manufactured with 4" diameter structural aluminum tubing with welded inserts for crossbar attachment
- High school uprights spaced 23' 4"/20' overall height and collegiate uprights spaced 18' 6" apart with overall height of 30' to meet current NCAA specifications
- Aluminum ground sleeves and caps included
- Durable mill finish is standard
- Available in white or yellow painted finish upon request

AHG-HS \$2,695.00/pr.
AHG-NCAA \$2,650.00/pr.



"Y" Football Goals

- Centerpost is 5-1/2" dia. steel with a welded 3/4" thick steel plate for ground anchoring
- Exclusive "C-Channel" attaches centerpost to 5-1/2" dia. heavy-wall aluminum crossbar
- Uprights are 4" dia. aluminum tubing and meet all HS and NCAA specs for height
- Special sub-surface plate design allows for easy installation and adjustment
- All hardware is galvanized steel
- Available in both yellow and white

AYG-HS \$7,045.00/pr.
AYG-NCAA \$7,045.00/pr.



90° Practice Hurdle

- Perfect for agility training your football teams
- Push-button height adjustment modified to 24"/27"/30"/33"/36"
- Flat base, stabilizer bar and reinforced post welded into world's strongest 3-way aluminum hurdle frame
- Powder-coated telescoping tubes
- Self-adjusting weights
- Double-web Lexan board
- Custom silkscreen available

XLAH-CP \$165.00



Football BallStopper System

- Keeps field goal and extra point kicks inside the field, protecting bystanders, cars and yards from stray footballs
- Four 38' 6" overall length aluminum posts (6" dia.), which install into aluminum ground sleeves for an above ground height of 34' 6"
- Knotted nylon nets (3-1/2" sq. x 35' high x 50' wide) are treated for outdoor use - 1-3/4" sq. size net is also available for multi-sport use
- Rope and pulley system featuring a tie-down cleat, makes it easy to raise or lower the net for each game or as required
- Mill finish is standard for the posts (custom powder-coating also available at extra cost)

FBS-35 \$6,500.00/pr.



Tie-down cleat prevents the hoisting rope from becoming a tripping hazard.



Eyebolt feature at post base keeps net taut during wind gusts.



Search "coaching accessories" or "training" on myAAEworld to find mega phones, medicine balls and more.



Shown in-ground with contractor applied turf on cover



Utility Boxes & Covers

- Perfect solution to enclose on-field communication devices and outlets
- Galvanized box construction deters the elements and provides a seamless finish for any track or field
- Reinforced aluminum cover designed to accept any track/synthetic surface
- Three standard sizes, but also available in custom sizes upon request

UBC-GA/101830 (18" x 30")	\$625.00/ea.
UBC-GA/103636 (36" square)	\$850.00/ea.
UBC-GA/104242 (42" square)	\$950.00/ea.

Divided Utility Box & Cover

- Special divided layout separates electric from other utilities
- Dual-lid design provides individual access to each side
- Included PVC insert allows lids to be closed, yet electrical cords to remain plugged in underneath
- Galvanized box construction deters the elements and provides seamless finish for any track or field
- Reinforced aluminum cover designed to accept any track/synthetic surface
- Photo on left shows box out-of-ground prior to installation
- Standard size 10"D x 18"W x 30"L - custom sizes available upon request

UBC-GA/101830-D	\$825.00/ea.
------------------------	---------------------



Football Landing Mats

- Fabricated of premium 12" thick foam encased in double knife-coated vinyl (6' W and 10' L)
- Heavy duty handles and buckle straps are box-tacked to encasement body, so there is no hardware to break or lose
- Available in red, blue, navy blue, green, black, orange, maroon or yellow

FLM	\$1,050.00/ea.
------------	-----------------------



Yard Line Markers

- Displays yardage (G, 10, 20, 30, 40, 50) with foldable 18" sq. "A-frame" & 16" vinyl base
- 1" thick sturdy foam encased in double knife-coated vinyl cover
- Available in white, black, blue, red, green, orange or yellow/numerals silkscreened in color of your choice


YLM (set of 11)	\$575.00
------------------------	-----------------



Goal Line Markers

- Ideal for field marking, as well as for drills
- Molded from orange flexible PVC
- 4" sq. and 18" high with weighted safety base
- Pylons are sold in sets of four

GLM (set of 4)	\$130.00
-----------------------	-----------------



Wind Directional Flags

- Included with all AAE football goals, but also available separately
- Two-ply, red nylon fabric (4"W x 42"L)

WDF	\$12.00/ea.
WDF-4 (set of 4)	\$48.00

Combination Goals

- Designed for synthetic or natural turf multi-purpose fields, where field space is limited
- Comes complete with a set of small loop stays for net support (nets sold separately), aluminum ground sleeves and caps
- Mill finish is standard on entire goal for minimal maintenance
- White goal mouth and/or painted uprights available upon request for an additional cost

HS models only:

- 4" diameter aluminum "one-piece" uprights, bent to accommodate 24' for soccer and 23' 4" for football
- Soccer portion of the uprights and crossbar are fabricated of 4" diameter slotted, structural aluminum extrusion designed to accept our MNC Molded Net Clips, which easily attach soccer nets
- CSF-HS has the additional feature of a 4" flat aluminum facing welded to the soccer portion of each goal

NCAA models only:

- Fabricated with two-piece uprights and a welded truss beam design for the crossbar in order to meet the required 18' 6" width for football and 24' width for soccer
- CSF-NCAA with flat facing is also available




CAG-HS Model Shown with Optional Powder-coating



Simply remove the net and stays and the CAG becomes an official football goal within minutes.

CAG-HS	\$3,795.00/pr.
CAG-NCAA	\$4,395.00/pr.
CSF-HS	\$4,295.00/pr.
CSF-NCAA	\$4,895.00/pr.



RCG-HS Model Shown with Optional Powder-coating



By detaching the net, the RCG instantly becomes an official football goal.

White/yellow combo powder-coated uprights/crossbar upgrade (shown above) available for \$900.

Rollaway Combination Goals

- Originally designed for Georgetown University's rooftop athletic field, many other schools appreciate its compact design for synthetic or natural turf and multi-purpose fields where space is limited
- 4" diameter structural aluminum tubing
- Uprights and crossbar made of a custom slotted, structural aluminum extrusion designed to accept our MNC Molded Net Clips, which easily attach soccer nets (sold separately)
- All side stays and groundbars are made of a heavy-wall 4" diameter aluminum extrusions
- Two sets of dual 12" pneumatic tires with stainless axles are included with each goal
- Mill finish is standard - white goal mouth and/or painted uprights available upon request

HS model only:

- "One-piece" uprights, bent to accommodate 24' for soccer and 23' 4" for football

NCAA model only:

- Features two-piece upright construction and a welded truss beam crossbar design to meet the required 24' for soccer and 18' 6" for football

RCG-HS	\$7,995.00/pr.
RCG-NCAA	\$8,495.00/pr.